

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("INFINIBAND").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 06:18
S2	4	SAN same cluster\$4 same rout\$4 same protocol\$2 same LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:09
S3	11388	SAN same protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:32
S4	116	SAN near protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:32
S5	14	LAN same (SAN near protocol\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:43
S6	8	S5 and (transform\$4 or conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:30
S7	2	S6 and agent\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:45
S8	8	("5459853" "5768623" "6061750" "6098129" "6115797" "6393537" "6505273" "6529976").PN. OR ("6772365"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/11 12:49

S9	6	S8 and (transform\$4 or conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 12:56
S10	1	S2 and (transform\$4 or conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:30
S11	1	S2 and (transform\$4 or conver\$5 or modif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:32
S12	93	S4 and (transform\$4 or conver\$5 or modif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:32
S13	82	S4 and (transform\$4 or conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:33
S14	5	(transform\$4 or conver\$5) same (SAN near protocol\$2) same LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 12:37
S15	2	(transform\$4 or conver\$5 or modif\$4) same (SAN near protocol\$2) same (TCP or IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:36
S16	1	(bridg\$4 or interconnect\$4 or connect\$4 or switch\$4 or link\$4) same SAN same LAN same protocol\$2 same cluster\$4 same (transform\$4 or conver\$5 or chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 12:40

S17	56	((bridg\$4 or interconnect\$4 or connect\$4 or switch\$4 or link\$4) same SAN same LAN same cluster\$4) and (transform\$4 or conver\$5 or chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 12:42
S18	8	((bridg\$4 or interconnect\$4 or connect\$4 or switch\$4 or link\$4) same SAN same LAN same cluster\$4) and ((transform\$4 or conver\$5 or chang\$4) same rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:01
S19	9	S17 and (rout\$4 same (failover or fail-over or failure\$2 or balanc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:17
S20	888	rout\$4 same agent\$2 same (session\$2 or connect\$4) same (conver\$4 or modif\$4 or chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:07
S21	3	rout\$4 near3 agent\$2 near3 (session\$2 or connect\$4) near3 (conver\$4 or modif\$4 or chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:08
S22	0	S21 and SAN and LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:08
S23	68	S20 and SAN and LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:08
S24	49	S23 and (failover or fail-over or failure\$2 or balanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:40

S25	36	S17 and rout\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:34
S26	6	S20 and infiniband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:36
S27	4	S25 and infiniband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:07
S28	6566	(bridg\$4 or interconnect\$4 or connect\$4 or link\$4 or interlink\$4) same (SAN or cluster\$4) same (LAN or remote or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:08
S29	30	(bridg\$4 or interconnect\$4 or connect\$4 or link\$4 or interlink\$4) same (SAN or cluster\$4) same (LAN or remote or client) same rout\$4 same (transform\$4 or conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:11
S30	2	S29 and infiniband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:10
S31	309	S28 and infiniband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:10
S32	83	S31 and (rout\$4 same (transform\$4 or conver\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:11

S33	80	S32 and (failover or fail-over or failure\$2 or balanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:22
S34	25	S33 and (stream\$4 same (hardware or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 06:34
S36	6566	(bridg\$4 or interconnect\$4 or connect\$4 or link\$4 or interlink\$4) same (SAN or cluster\$4) same (LAN or remote or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 06:34
S37	309	S36 and infiniband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 06:34
S38	83	S37 and (rout\$4 same (transform\$4 or conver\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 06:34
S39	80	S38 and (failover or fail-over or failure\$2 or balanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 11:02
S40	25	S39 and (stream\$4 same (hardware or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 06:36
S41	18	S40 and cluster\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 06:51

S42	17	S41 and server\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 07:12
S43	14	S42 and polic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 07:21
S46	1	rout\$6 same agent\$2 same SAN same LAN same (path\$2 or conection\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 07:24
S47	25	(conver\$4 or modif\$5) same LAN same SAN same protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 07:26
S48	2	(conver\$4 or modif\$5) same LAN same SAN same protocol\$2 same cluster\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 08:04
S49	5	(conver\$4 or modif\$5) same LAN same SAN same cluster\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 08:05
S50	5	(conver\$4 or modif\$5 or transform\$4) same LAN same SAN same cluster\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 08:13
S51	26	(conver\$4 or modif\$5 or transform\$4) same LAN same SAN same protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 08:25

S52	24	S51 not S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 08:13
S53	31	(conver\$4 or modif\$5 or transform\$4 or chang\$4) same LAN same SAN same protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:35
S54	7	S53 not S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 08:35
S55	0	router\$2 near10 agent\$2 near10 SAN near10 LAN near10 (polic\$4 or rule\$2 or agreement or contract\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:41
S56	3	router\$2 same agent\$2 same SAN same LAN same (polic\$4 or rule\$2 or agreement or contract\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:17
S57	5	router\$2 same agent\$2 same SAN same LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:17
S58	2	("6757291").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 09:41
S59	5	S53 and infiniband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:35

S60	80	S38 and (failover or fail-over or failure\$2 or balanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 11:02
S61	76	S60 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:08
S62	7377	(bridg\$4 or interconnect\$4 or connect\$4 or link\$4 or interlink\$4) same (SAN or cluster\$4) same (LAN or remote or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:08
S63	362	S62 and infiniband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:08
S64	87	S63 and (rout\$4 same (transform\$4 or conver\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:08
S65	82	S64 and (failover or fail-over or failure\$2 or balanc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:08
S66	78	S65 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:18
S67	78	S66 and first and second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:17

S68	0	route\$4 near8 LAN near8 SAN near8 conver\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:41
S69	7	route\$4 same LAN same SAN same conver\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 17:43
S70	37481	miyamoto.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:48
S71	29	iwatsuki.inv. with kazuko	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 16:49
S72	2	S71 and route\$4 and LAN and SAN and conver\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 17:48
S73	2	S70 and route\$4 and LAN and SAN and conver\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 17:48
S74	7407	(bridge\$4 or interconnect\$4 or connect\$4 or link\$4 or interlink\$4) same (SAN or cluster\$4) same (LAN or remote or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:18
S75	362	S74 and infiniband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:18

S76	87	S75 and (route\$4 same (transform\$4 or convert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:18
S77	82	S76 and (failover or fail-over or failure\$2 or balance\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:18
S78	78	S77 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:18
S79	78	S78 and first and second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:19
S80	59	S79 and (QoS or policy\$3 or rule\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:20
S81	57	S80 and configuration\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:29
S82	10	S79 and ((map\$4 or match\$4 or sort\$4) same service\$4 same type\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:33
S83	7	S80 and ((map\$4 or match\$4 or sort\$4) same service\$4 same type\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 07:38

S84	7	S83 and manag\$4 and configur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:37
S85	0	manag\$4 same configur\$4 same rout\$4 same SAN same LAN same (map\$4 or conver\$4) same serv\$4 same type\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:14
S86	1	rout\$4 same SAN same LAN same (map\$4 or conver\$4) same serv\$4 same type\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:15
S87	1	rout\$4 same (SAN and LAN) same (map\$4 or conver\$4) same serv\$4 same type\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:16
S88	321	(rout\$4 same (map\$4 or conver\$4) same serv\$4 same type\$2) and (SAN and LAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:17
S89	131	(rout\$4 same (map\$4 or conver\$4) same serv\$4 same type\$2) and ((SAN or LAN) near2 protocol\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:18
S90	179	S88 and (QoS or polic\$3 or rule\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:21
S91	179	S90 and SAN and LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:21

S92	169	S90 and stor\$4 and local\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:22
S94	179	S90 and (conver\$5 or map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:37
S95	752	((stor\$4 adj area adj network\$2) or (network adj stora\$4 adj server\$2) or SAN or NAS) same (map\$4 or conver\$4) same protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 08:49
S96	9	((stor\$4 adj area adj network\$2) or (network adj stora\$4 adj server\$2) or SAN or NAS) same (map\$4 or conver\$4) same (LAN near2 protocol\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:09
S97	1	S78 and ((map\$4 or conver\$4) same (LAN near2 protocol\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:10
S98	10	S78 and ((map\$4 or conver\$4) and (LAN near2 protocol\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:21
S99	6	pirus near3 software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:19
S10 0	6	S99 and ((map\$4 or conver\$4) and (LAN and SAN))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:21

S10 1	3993	access\$4 same remot\$3 same SAN (node\$2 or server\$2) same rout\$4 same protocol\$2 same LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:12
S10 2	23	access\$4 near3 remot\$3 near3 SAN (node\$2 or server\$2) near3 rout\$4 near3 protocol\$2 near3 LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:12
S10 3	0	access\$4 near3 remot\$3 near3 (SAN same (node\$2 or server\$2)) near3 rout\$4 near3 protocol\$2 near3 LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:12
S10 4	2	access\$4 same remot\$3 same SAN same (node\$2 or server\$2) same rout\$4 same protocol\$2 same LAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:17
S10 5	21	S102 and address\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:18
S10 6	15	S105 and (map\$4 or conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:24
S10 7	11	S106 and LAN\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 13:24